

A Markovian Feedback Queue with Retention of Reneged Customers and Balking

Sumeet Kumar Sharma

School of Mathematics
Shri Mata Vaishno Devi University, Sub Post Office, Katra-182320 (India)
sharmasumeet786@yahoo.co.in

Rakesh Kumar¹

School of Mathematics
Shri Mata Vaishno Devi University, Sub Post Office, Katra-182320
J and K (India)
rakesh.kumar@smvdu.ac.in

Abstract

We consider a single server, finite capacity Markovian feedback queue with renegeing, balking and retention of reneged customers in which the inter-arrival and service times follow exponential distribution. The renegeing times are assumed to be exponentially distributed. Feedback in queueing literature represents customer dissatisfaction because of inappropriate quality of service. In case of feedback, after getting partial or incomplete service, customer retries for service. After the completion of service, each customer may rejoin the system as a feedback customer for receiving another regular service with probability p_1 or he can leave the system with probability q_1 where $p_1 + q_1 = 1$. A reneged customer can be retained in many cases by employing certain convincing mechanisms to stay in queue for completion of service. Thus, a reneged customer can be retained in the queueing system with some probability q_2 or he may leave the queue without receiving service with probability $p_2 (= 1 - q_2)$. Balking refers to reluctance of a customer to join a queue.

¹Corresponding Author

In this paper, we extend the work of Sharma and Kumar (2012) by including balking to take into consideration the broader perspective of customer impatience. The steady-state solution of the model is obtained iteratively. Some performance measures are also derived. Finally, some important queuing models are derived as special cases of this model.

Mathematics Subject Classification: (2000) MSC 60K25, 90B22

Keywords: Reneging, Balking, Feedback, Probability of Customer Retention, Steady-state solution, Performance measures.

1 Introduction

Feedback in queueing literature represents customer dissatisfaction because of inappropriate quality of service. In case of feedback, after getting partial or incomplete service, customer retries for service. In computer communication, the transmission of protocol data unit is sometimes repeated due to occurrence of an error. This usually happens because of non-satisfactory quality of service. Rework in industrial operations is also an example of a queue with feedback. [Takacs, 1948] studies queue with feedback to determine the stationary process for the queue size and the first two moments of the distribution function of the total time spent in the system by a customer. [Davignon and Disney, 1973] study single server queues with state dependent feedback. [Santhakumaran and Thangaraj, 2000] consider a single server feedback queue with impatient and feedback customers. They study $M/M/1$ queueing model for queue length at arrival epochs and obtain result for stationary distribution, mean and variance of queue length. [Thangaraj and Vanitha, 2009] obtain transient solution of $M/M/1$ feedback queue with catastrophes using continued fractions. The steady-state solution, moments under steady state and busy period analysis are calculated. [Ayyappan et al., 2010] study $M/M/1$ retrial queueing system with loss and feedback under non-pre-emptive priority service by matrix geometric method. The notion of customer impatience appear in the queueing theory in the work of [Haight, 1957]. He considers a model of balking for $M/M/1$ queue in which there is a greatest queue length at which an arrival will not balk. This length is a random variable whose distribution is same for all customers. [Haight, 1959] studies a queue with reneging in which he studies the problem like how to make rational decision while waiting in the queue, the probable effect of this decision etc. [Ancker and Gafarian, 1963] study $M/M/1/N$ queueing system with balking and reneging and perform its steady-state analysis. [Ancker and Gafarian, 1963] also

obtain results for a pure balking system (no renegeing) by setting the renegeing parameter equal to zero. [Standford, 1979] gave in detail the renegeing phenomenon of single channel queues. [Baccelli et al. 1984] considered customer impatience in which a customer gives up whenever his patience or waiting time is larger than a random threshold. They considered GI/GI/1 queue and gave extention of the classical GI/GI/1 formulae concerning the stability condition and the relation between actual and virtual waiting time distribution functions. [Kumar and Sharma, 2012a] study $M/M/1/N$ queuing system with retention of renegeed customers. They obtain steady-state solution and study the effect of probability of customer retention on various performance measures. [Kumar and Sharma, 2012b] study $M/M/1/N$ queuing system with retention of renegeed customers and balking. They obtain steady-state solution and perform sensitivity analysis of the model.

In this paper, we consider a single server, finite capacity Markovian feedback queuing system with renegeing, balking and retention of renegeed customers in which the inter-arrival and service times follow exponential distribution. The renegeing times are assumed to be exponentially distributed. After the completion of service,each customer may rejoin the system as a feedback customer for receiving another regular service with probability p_1 or he can leave the system with probability q_1 where $p_1 + q_1 = 1$. A renegeed customer can be retained in many cases by employing certain convincing mechanisms to stay in the queue for completion of his service. Thus, a renegeed customer can be retained in the queuing system with some probability q_2 and may leave the queue without receiving service with probability $p_2 = 1 - q_2$. This effort to retain the renegeing customer in the queue for his service has positive effect on business of any firm.

Recently, [Sharma and Kumar, 2012] study a finite capacity, Markovian single-server feedback queuing model with renegeing and retention of renegeed customers.The customer impatience may occur in the form of balking also. Balking refers to reluctance of a customer to join a queue. In this paper, we extend the work of [Sharma and Kumar, 2012] by including balking to take into consideration the broader perspective of customer impatience.

Rest of the paper is arranged as follows: In section 2, the model is described. Scetion 3 deals with performance measures of the system, and in section 4, special cases of the model are discussed. The paper is concluded in section 5.

2 Model Description

Consider an $M/M/1/N$ queue with instantaneous Bernoulli feedback with renege customers and retention of renege customers. Capacity of the system is taken as finite. Customers arrive at the service station one by one according to Poisson stream with arrival rate λ . There is a single server which provides service to all arriving customers. Service times are independently and identically distributed exponential random variables with parameter μ . After completion of each service, the customer can either join at the end of the queue with probability p_1 or he can leave the system with probability q_1 where $p_1 + q_1 = 1$. The customers both newly arrived and those that are fed back are served in order in which they join the tail of original queue. We do not distinguish between the regular arrival and feedback arrival. The customers are served according to first come, first served rule. The customer in queue (regular arrival or feedback arrival) may become impatient when the service is not available for a long time. In fact, each customer, upon arrival, activates an individual timer, which follows an exponential distribution with parameter ξ . This time is reneging time of an individual customer after which customer either decide to abandon the queue with probability $p_2 (= 1 - q_2)$ or never to return with complimentary probability. The arriving customer joins the system with certain balking probability. It is assumed that an arriving customer balks with probability n/N , where n is the number of customers in system and therefore joins the system with probability $1 - \frac{n}{N}$ which indicates that N is the measure of customer's willingness to join the queue. A system of difference differential equations satisfied by the $M/M/1/N$ feedback queue with renege customers, balking and retention of renege customers are modelled as a continuous time Markov chain (CTMC).

Let $\{X(t) : t \in \mathbb{R}^+\}$ be the number of customers in the system at time t . Let $P_n(t) = P(X(t) = n)$, $n = 0, 1, 2, N$ be the state probabilities that there are n customers in the system at time t . Based on above assumptions the Chapman-Kolmogorov forward differential- difference equations of the model are

$$\frac{dP_0(t)}{dt} = -\lambda P_0(t) + \mu q_1 P_1(t) \tag{1}$$

$$\frac{dp_n(t)}{dt} = -\left\{\left(1 - \frac{n}{N}\right)\lambda + \mu q_1 + (n - 1)\xi p_2\right\}P_n(t) + (\mu q_1 + n\xi p_2)P_{n+1}(t)$$

$$+\left(1 - \frac{n}{N}\right)\lambda P_{n-1}(t) \quad 1 \leq n \leq N - 1 \quad (2)$$

$$\frac{dP_N(t)}{dt} = \left(1 - \frac{N-1}{N}\right)\lambda P_{N-1}(t) - [\mu q_1 + (N-1)\xi p_2]P_N(t) \quad n = N \quad (3)$$

In steady state $\lim_{t \rightarrow \infty} P_n(t) = P_n$ and therefore $\frac{dP_n(t)}{dt} = 0$ as $t \rightarrow \infty$. Thus, the steady state equations corresponding to (1)-(3) are as follow

$$0 = -\lambda P_0 + \mu q_1 P_1 \quad (4)$$

$$0 = -\left\{\left(1 - \frac{n}{N}\right)\lambda + \mu q_1 + (n-1)\xi p_2\right\}P_n + (\mu q_1 + n\xi p_2)P_{n+1}$$

$$+\left(1 - \frac{n-1}{N}\right)\lambda P_{n-1} \quad 1 \leq n \leq N - 1 \quad (5)$$

$$0 = \left(1 - \frac{N-1}{N}\right)\lambda P_{N-1} - [\mu q_1 + (N-1)\xi p_2]P_N \quad n = N \quad (6)$$

Solving iteratively equations (4)-(6), we get

$$P_n = \prod_{k=1}^n \frac{N - (k-1)}{N} \frac{\lambda}{\mu q_1 + (k-1)\xi p_2} P_0 \quad (7)$$

Using the normalization condition, $\sum_{n=0}^N P_n = 1$, we get

$$P_0 = \frac{1}{1 + \sum_{n=1}^N \prod_{k=1}^n \frac{N - (k-1)}{N} \frac{\lambda}{\mu q_1 + (k-1)\xi p_2}} \quad (8)$$

3 Performance Measures

In this section, some important performance measures are derived.

(i) The Expected System Size (L_s)

$$L_s = \sum_{n=1}^N n \left[\prod_{k=1}^n \frac{N - (k-1)}{N} \frac{\lambda}{\mu q_1 + (k-1)\xi p_2} \right] P_0 \quad (9)$$

(ii) The Expected Queue Length (L_q)

$$L_q = \sum_{n=1}^N n \left[\prod_{k=1}^n \frac{N - (k-1)}{N} \frac{\lambda}{\mu q_1 + (k-1)\xi p_2} \right] P_0 - \frac{\lambda}{\mu q_1} \quad (10)$$

(iii) The Expected Waiting Time in the System (W_s)

$$W_s = \frac{1}{\lambda} \sum_{n=1}^N n \left[\prod_{k=1}^n \frac{N - (k - 1)}{N} \frac{\lambda}{\mu q_1 + (k - 1)\xi p_2} \right] P_0 - \frac{\lambda}{\mu q_1} \quad (11)$$

(iv) The Expected Waiting Time in the queue (W_q)

$$W_q = \frac{1}{\lambda} \sum_{n=1}^N n \left[\prod_{k=1}^n \frac{N - (k - 1)}{N} \frac{\lambda}{\mu q_1 + (k - 1)\xi p_2} \right] P_0 - \frac{1}{\mu q_1} \quad (12)$$

(v) The Expected Number of customers Served, $E(\text{Customer Served})$

$$E(\text{Customer Served}) = \sum_{n=1}^N n \mu q_1 P_n$$

$$E(\text{Customer Served}) = \sum_{n=1}^N n \mu q_1 \left[\prod_{k=1}^n \frac{N - (k - 1)}{N} \frac{\lambda}{\mu q_1 + (k - 1)\xi p_2} \right] P_0 \quad (13)$$

Where P_0 is computed in (8).

4 Special Cases

- 1 When $q_1 = 1, 0 < q_2 < 1$, the queueing system reduces to $M/M/1/N$ queueing model with reneging, balking and retention of reneged customers as studied by [Kumar and Sharma, 2012b].
- 2 When $q_2 = 0, 0 < q_1 < 1$, the queueing system reduces to $M/M/1/N$ queueing model with feedback, reneging and balking.
- 3 When $q_2 = 1, i.e. \xi = 0, 0 < q_1 < 1$, the queueing system reduces to $M/M/1/N$ queueing model with feedback and balking.
- 4 when $q_2 = 1, i.e. \xi = 0, q_1 = 1$ The queueing system reduces to $M/M/1/N$ queueing model with balking.
- 5 When we do not consider balking in our model
 - (i) In case 1, our results resembles with [Kumar and Sharma, 2012a].

- (ii) An $M/M/1/N$ feedback queuing model with renegeing is obtained in case 2.
- (iii) A Markovian single-server, finite capacity feedback queue is the resulting model in case 3.
- (iv) The model is a simple $M/M/1/N$ queuing model in case 4.

5 Conlusions

In this paper, we study a finite capacity single-server Markovian feedback queuing model with renegeing, balking and retention of reneged customers. The steady-state solution of the model is obtained and some measures of performance are also derived. The model results may be useful in modeling various production and service processes involving feedback and impatient customers. The model analysis is limited to finite capacity. The infinite capacity case of the model can also be studied. Further, the model can be solved in transient state to get time-dependent results.

References

- [1] Ayyapan, G., Muthu Ganapathi Subramanian, A. and Sekar, G.,(2010), $M/M/1$ Retrial Queueing System with Loss and Feedback under Non-pre-emptive Priority Service by Matrix Geometric Method, *Applied Mathematical Sciences*, **Vol. 4**, No. 48, 2379–2389.
- [2] D’Avignon, G.R. and Disney, R.L.,(1976) Single Server Queue with State Dependent Feedback,*INFOR*, **Vol. 14**,pp. 71-85.
- [3] Baccelli, F., Boyer, I. P., and Hebuterne, G.,(1984) Single-server queues with Impatient Customers,*Advances in Applied Probability*, **Vol. 16**,No. 4, pp. 887-905.
- [4] Stanford, R.E., (1979), Reneging phenomenon of single channel queues,*Mathematics of Operations Research*,**Vol. 4**, No. 2, pp. 162-178.
- [5] Santhakumaran, A. and Thangaraj, V., (2000),A Single Server Queue with Impatient and Feedback Customers,*Information and Management Science*,**Vol. 11**, No. 3, pp. 71-79.

- [6] Takacs, L.,(1963), A Single Server Queue with Feedback, *The Bell System Tech. Journal*, **vol. 42**, pp. 134-149.
- [7] Thangaraj, V. and Vanitha, S.,(2009), On the Analysis of M/M/1 Feedback Queue with Catastrophes using Continued Fractions, *International Journal of Pure and Applied Mathematics*, **Vol. 53**, No. 1, pp. 131–151.
- [8] Haight, F. A.,(1957): Queuing with balking, I, *Biometrika*, **Vol. 44**,pp. 360-369 .
- [9] Haight, F. A.,(1959), Queueing with Reneging, *Metrika*. **Vol.2**, pp. 186-197 .
- [10] Ancker Jr., C. J. and Gafarian, A. V.,(1963), Some Queuing Problems with Balking and Reneging. I, *Operations Research*, **Vol. 11**,No. 1, pp. 88-100 .
- [11] Ancker Jr., C. J. and Gafarian, A. V.,(1963), Some Queuing Problems with Balking and Reneging. II, *Operations Research*, **Vol. 11**,No. 6, pp. 928-937.
- [12] Kumar, R. and Sharma,S.K. (2012a), M/M/1/N Queuing System with Retention of Reneged Customers, *Pakistan Journal of Statistics and Operation Research*, **In Press**.
- [13] Kumar, R. and Sharma,S.K. (2012b), An M / M / 1 / N Queuing Model with Retention of reneged customers and Balking, *American Journal of Operational Research*, **Vol. 2**, No. 1, pp. 1-5.
- [14] Sharma,S.K. and Kumar, R. (2012), A Markovian Feedback Queue with Retention of Reneged Customers, *AMO-Advanced Modelling and Optimization*, **In Press**.